

Extension of Self-organizing Migrating Algorithm with Clustering-aided Migration and Adaptive PRT Parameter

Tomas Kadavy
Tomas Bata University in Zlin
Zlin, Czech Republic
kadavy@utb.cz

Adam Viktorin
Tomas Bata University in Zlin
Zlin, Czech Republic
aviktorin@utb.cz

Michal Pluhacek
Tomas Bata University in Zlin
Zlin, Czech Republic
pluhacek@utb.cz

Roman Senkerik
Tomas Bata University in Zlin
Zlin, Czech Republic
senkerik@utb.cz

ABSTRACT

The paper presents detailed results comparing the following algorithms: SOMA-CL, SOMA-ATA, SOMA-ATO, SOMA-ATR, and SOMA-CLP on Bound Constrained Single Objective Numerical Optimization benchmark.

KEYWORDS

SOMA, SOMA-CLP, k-means, clustering, CEC 2021

ACM Reference Format:

Tomas Kadavy, Michal Pluhacek, Adam Viktorin, and Roman Senkerik. 2021. Extension of Self-organizing Migrating Algorithm with Clustering-aided Migration and Adaptive PRT Parameter. In *Proceedings of the Genetic and Evolutionary Computation Conference 2021 (GECCO '21)*. ACM, New York, NY, USA, 14 pages. <https://doi.org/10.1145/nnnnnnnn.nnnnnnnn>

1 RESULTS

This extension includes detailed results in the form of tables required for Bound Constrained Single Objective Numerical Optimization benchmark [1]. The benchmark encompasses 10 test functions. Each test function can be further parametrized. This parametrization enables 8 possible configurations for each test function. The tested dimension sizes are 10 and 20. Maximum function evaluations are separate for each dimension size and are $2.00E+05$ and $1.00E+06$.




Figure 1: Friedman rank tests for 10D.




Figure 2: Friedman rank tests for 20D.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.
GECCO '21, July 10–14, 2021, Lille, France

© 2021 Association for Computing Machinery.
ACM ISBN 978-x-xxxx-xxxx-x/YY/MM... \$15.00
<https://doi.org/10.1145/nnnnnnnn.nnnnnnnn>

Table 1: Results of the Wilcoxon rank-sum test.

Dimension	SOMA-CL	SOMA-ATA	SOMA-ATO	SOMA-ATR	SOMA-CLP	None
10	2	0	0	15	22	41
20	5	2	0	3	38	32
Sum of wins	7	2	0	18	60	73

Table 2: Results of SOMA-CL for 10D (Basic)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	0.00E+00	3.12E-01	1.25E-01	1.56E-01	8.40E-02
3	9.65E-03	1.10E+01	4.51E+00	5.19E+00	4.01E+00
4	3.16E-01	5.96E-01	4.22E-01	4.25E-01	7.03E-02
5	0.00E+00	2.08E-01	0.00E+00	1.39E-02	5.28E-02
6	9.51E-03	2.43E-01	3.51E-02	4.74E-02	4.74E-02
7	1.00E-06	8.31E-03	8.01E-04	1.52E-03	1.88E-03
8	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	8.55E+00	4.83E+01	4.80E+01	4.51E+01	1.01E+01

Table 3: Results of SOMA-CL for 10D (Shift Operator)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	1.37E-06	3.12E-01	1.25E-01	1.35E-01	8.05E-02
3	2.88E-04	1.10E+01	3.60E+00	4.28E+00	4.01E+00
4	3.34E-01	5.44E-01	4.61E-01	4.54E-01	4.55E-02
5	0.00E+00	2.08E-01	0.00E+00	7.30E-03	3.80E-02
6	1.16E-02	3.45E-01	3.04E-02	5.56E-02	7.35E-02
7	1.49E-05	1.02E-01	1.55E-03	5.72E-03	1.85E-02
8	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	2.23E+00	4.84E+01	4.80E+01	4.50E+01	1.14E+01

Table 4: Results of SOMA-CL for 10D (Rotation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	0.00E+00	3.12E-01	1.26E-01	1.51E-01	7.77E-02
3	1.09E+01	1.11E+01	1.09E+01	1.09E+01	7.02E-02
4	3.34E-01	6.37E-01	4.62E-01	4.82E-01	7.70E-02
5	0.00E+00	2.08E-01	0.00E+00	1.91E-02	5.87E-02
6	4.86E-03	2.39E-01	2.39E-02	3.96E-02	4.75E-02
7	5.27E-05	2.18E-01	9.67E-04	9.17E-03	3.95E-02
8	3.42E-01	1.00E+02	1.64E+01	3.47E+01	3.89E+01
9	1.00E+02	3.20E+02	1.03E+02	1.24E+02	5.30E+01
10	4.00E+02	4.00E+02	4.00E+02	4.00E+02	0.00E+00

Table 5: Results of SOMA-CL for 10D (Translation)

Func.	Best	Worst	Median	Mean	Std
1	5.16E-08	3.40E-06	3.46E-07	6.06E-07	8.26E-07
2	5.24E-01	2.88E+01	6.75E+00	8.18E+00	6.12E+00
3	9.48E+00	1.93E+01	1.47E+01	1.46E+01	2.23E+00
4	6.82E-01	1.40E+00	9.58E-01	9.76E-01	1.56E-01
5	2.11E+00	2.09E+01	5.42E+00	6.90E+00	5.14E+00
6	1.13E-01	9.73E-01	4.62E-01	4.93E-01	1.94E-01
7	1.13E-02	6.33E-01	1.47E-01	1.97E-01	1.72E-01
8	7.58E-08	6.70E+00	4.34E-04	4.44E-01	1.67E+00
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	5.23E+01	7.32E+01	6.27E+01	6.35E+01	8.29E+00

Table 6: Results of SOMA-CL for 10D (Shift and Rotation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	0.00E+00	3.12E-01	1.25E-01	1.52E-01	7.09E-02
3	1.09E+01	1.10E+01	1.09E+01	1.09E+01	4.16E-02
4	3.28E-01	6.46E-01	4.80E-01	4.72E-01	7.40E-02
5	0.00E+00	2.08E-01	0.00E+00	6.94E-03	3.80E-02
6	2.00E-03	4.37E-02	2.72E-02	2.66E-02	1.04E-02
7	3.75E-05	7.19E-03	1.12E-03	1.83E-03	2.00E-03
8	1.55E-01	1.00E+02	2.37E+01	3.68E+01	3.75E+01
9	1.00E+02	3.28E+02	1.04E+02	1.29E+02	6.30E+01
10	4.00E+02	4.00E+02	4.00E+02	4.00E+02	0.00E+00

Table 7: Results of SOMA-CL for 10D (Shift and Translation)

Func.	Best	Worst	Median	Mean	Std
1	2.65E-08	3.73E-06	2.70E-07	5.24E-07	7.69E-07
2	6.08E-01	3.74E+01	6.59E+00	9.12E+00	8.83E+00
3	7.78E+00	1.83E+01	1.44E+01	1.42E+01	2.50E+00
4	7.07E-01	1.21E+00	9.34E-01	9.53E-01	1.37E-01
5	1.66E+00	1.24E+01	5.22E+00	5.78E+00	3.25E+00
6	1.74E-01	6.83E-01	4.84E-01	4.70E-01	1.35E-01
7	1.26E-02	5.64E-01	1.13E-01	1.66E-01	1.62E-01
8	4.51E-08	8.50E+00	8.61E-04	8.67E-01	2.23E+00
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	5.27E+01	7.36E+01	5.83E+01	6.29E+01	9.03E+00

Table 8: Results of SOMA-CL for 10D (Rotation and Translation)

Func.	Best	Worst	Median	Mean	Std
1	7.80E-08	5.59E-06	7.63E-07	1.37E-06	1.44E-06
2	1.90E+00	9.59E+01	2.28E+01	2.44E+01	1.92E+01
3	1.18E+01	1.61E+01	1.35E+01	1.36E+01	1.04E+00
4	6.57E-02	1.07E+00	3.18E-01	3.74E-01	2.41E-01
5	4.30E+00	4.59E+01	1.89E+01	2.09E+01	1.01E+01
6	4.83E-02	5.93E-01	2.56E-01	2.39E-01	1.54E-01
7	1.58E-02	3.78E-01	6.49E-02	1.28E-01	1.29E-01
8	1.85E+01	1.01E+02	6.06E+01	6.63E+01	2.92E+01
9	9.38E+01	1.89E+02	1.12E+02	1.20E+02	2.10E+01
10	3.98E+02	4.44E+02	4.00E+02	4.03E+02	1.10E+01

Table 9: Results of SOMA-CL for 10D (Shift, Rotation and Translation)

Func.	Best	Worst	Median	Mean	Std
1	5.97E-08	1.19E-05	1.32E-06	2.23E-06	2.45E-06
2	4.01E+00	8.52E+01	1.59E+01	2.01E+01	1.59E+01
3	1.18E+01	1.53E+01	1.36E+01	1.37E+01	7.72E-01
4	2.71E-02	8.80E-01	5.01E-01	4.20E-01	2.33E-01
5	4.69E+00	3.15E+01	1.79E+01	1.82E+01	6.38E+00
6	3.88E-02	6.83E-01	2.43E-01	2.39E-01	1.70E-01
7	1.21E-02	3.81E-01	9.71E-02	1.22E-01	1.10E-01
8	1.44E+01	1.01E+02	7.82E+01	7.47E+01	2.71E+01
9	9.34E+01	2.40E+02	1.17E+02	1.29E+02	3.63E+01
10	3.98E+02	4.44E+02	4.00E+02	4.03E+02	1.11E+01

Table 10: Results of SOMA-CL for 20D (Basic)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	1.87E-01	1.96E+00	2.81E-01	4.68E-01	5.72E-01
3	0.00E+00	2.20E+01	9.95E-01	2.72E+00	4.55E+00
4	6.81E-01	1.63E+00	1.13E+00	1.13E+00	2.38E-01
5	0.00E+00	1.10E+00	1.04E-01	1.24E-01	2.01E-01
6	1.06E-01	2.44E+00	1.25E+00	1.24E+00	5.63E-01
7	9.76E-03	7.85E-01	1.06E-01	1.36E-01	1.52E-01
8	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	4.88E+01	5.16E+01	4.89E+01	4.92E+01	6.16E-01

Table 11: Results of SOMA-CL for 20D (Shift Operator)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	9.37E-02	3.63E+00	2.50E-01	4.59E-01	7.33E-01
3	0.00E+00	2.08E+01	1.49E+00	5.16E+00	6.94E+00
4	6.96E-01	1.53E+00	1.12E+00	1.13E+00	2.33E-01
5	0.00E+00	9.95E-01	5.20E-02	1.16E-01	1.95E-01
6	1.64E-01	2.72E+00	1.17E+00	1.33E+00	7.23E-01
7	6.87E-03	3.75E-01	6.59E-02	1.06E-01	9.73E-02
8	0.00E+00	2.15E+01	0.00E+00	7.16E-01	3.92E+00
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	4.88E+01	7.66E+01	4.91E+01	5.08E+01	6.50E+00

Table 12: Results of SOMA-CL for 20D (Rotation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	9.37E-02	3.54E+00	1.07E+00	1.25E+00	1.19E+00
3	2.02E+01	2.14E+01	2.02E+01	2.04E+01	3.46E-01
4	6.30E-01	1.89E+00	1.06E+00	1.08E+00	2.46E-01
5	0.00E+00	6.79E+00	2.08E-01	1.69E+00	2.45E+00
6	6.53E-02	5.59E-01	2.62E-01	2.82E-01	1.31E-01
7	4.48E-02	4.44E-01	1.87E-01	2.12E-01	1.04E-01
8	1.00E+02	1.00E+02	1.00E+02	1.00E+02	0.00E+00
9	1.12E+02	4.02E+02	4.00E+02	3.89E+02	5.26E+01
10	4.00E+02	4.00E+02	4.00E+02	4.00E+02	0.00E+00

Table 13: Results of SOMA-CL for 20D (Translation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	1.87E-01	7.65E+00	1.89E+00	1.80E+00	1.67E+00
3	1.57E+00	2.39E+01	5.75E+00	7.86E+00	6.53E+00
4	1.43E+00	2.49E+00	2.02E+00	1.99E+00	2.17E-01
5	7.65E+01	1.18E+03	4.84E+02	4.88E+02	2.91E+02
6	6.39E-01	3.62E+00	2.03E+00	2.08E+00	7.58E-01
7	1.08E+00	4.80E+01	4.55E+00	1.07E+01	1.27E+01
8	0.00E+00	8.76E+01	0.00E+00	1.30E+01	2.39E+01
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	6.39E+01	7.61E+01	6.73E+01	6.82E+01	2.91E+00

Table 14: Results of SOMA-CL for 20D (Shift and Rotation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	1.56E-01	7.81E+00	1.82E+00	1.85E+00	1.81E+00
3	2.02E+01	2.17E+01	2.02E+01	2.04E+01	4.56E-01
4	6.80E-01	1.56E+00	1.11E+00	1.11E+00	1.96E-01
5	0.00E+00	1.19E+02	2.08E-01	5.73E+00	2.16E+01
6	9.63E-02	6.58E-01	2.81E-01	3.06E-01	1.46E-01
7	2.68E-02	1.19E+02	2.04E-01	4.17E+00	2.16E+01
8	1.00E+02	1.00E+02	1.00E+02	1.00E+02	0.00E+00
9	2.50E+02	4.01E+02	4.00E+02	3.90E+02	3.21E+01
10	4.00E+02	4.00E+02	4.00E+02	4.00E+02	0.00E+00

Table 15: Results of SOMA-CL for 20D (Shift and Translation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	1.56E-01	5.22E+00	1.86E+00	1.43E+00	1.25E+00
3	0.00E+00	2.41E+01	5.27E+00	6.80E+00	5.69E+00
4	1.33E+00	2.36E+00	1.89E+00	1.91E+00	2.62E-01
5	1.18E+02	2.21E+03	4.75E+02	5.56E+02	4.23E+02
6	2.99E-01	3.51E+00	2.03E+00	2.04E+00	8.22E-01
7	8.63E-01	2.58E+01	3.05E+00	6.15E+00	6.75E+00
8	0.00E+00	9.45E+01	6.73E-04	1.51E+01	2.60E+01
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	6.48E+01	7.69E+01	6.86E+01	6.91E+01	3.24E+00

Table 16: Results of SOMA-CL for 20D (Rotation and Translation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	1.87E-01	1.22E+02	3.54E+00	7.47E+00	2.19E+01
3	2.04E+01	2.24E+01	2.12E+01	2.12E+01	5.06E-01
4	1.14E+00	2.56E+00	1.98E+00	1.98E+00	3.62E-01
5	1.25E+03	1.67E+04	5.25E+03	6.58E+03	3.83E+03
6	1.71E-01	1.55E+00	4.82E-01	6.39E-01	3.88E-01
7	1.38E+01	3.15E+02	7.29E+01	9.36E+01	7.17E+01
8	1.00E+02	1.00E+02	1.00E+02	1.00E+02	0.00E+00
9	3.47E+02	4.23E+02	4.15E+02	4.12E+02	1.36E+01
10	4.14E+02	4.95E+02	4.92E+02	4.65E+02	3.59E+01

Table 17: Results of SOMA-CL for 20D (Shift, Rotation and Translation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	1.25E-01	1.09E+01	3.56E+00	3.49E+00	2.88E+00
3	2.04E+01	2.26E+01	2.13E+01	2.14E+01	6.25E-01
4	1.49E+00	2.83E+00	2.00E+00	2.07E+00	3.26E-01
5	1.24E+03	2.76E+04	4.79E+03	6.59E+03	5.90E+03
6	2.20E-01	1.65E+00	5.64E-01	7.18E-01	4.30E-01
7	1.19E+01	4.92E+02	5.64E+01	8.62E+01	9.19E+01
8	1.00E+02	1.00E+02	1.00E+02	1.00E+02	0.00E+00
9	4.04E+02	4.24E+02	4.15E+02	4.15E+02	4.70E+00
10	4.14E+02	4.94E+02	4.92E+02	4.76E+02	2.82E+01

Table 18: Results of SOMA-ATA for 10D (Basic)

Func.	Best	Worst	Median	Mean	Std
1	4.79E+04	4.52E+05	1.66E+05	2.02E+05	1.24E+05
2	4.43E+00	1.86E+01	8.93E+00	9.50E+00	3.18E+00
3	3.45E+00	1.54E+01	1.25E+01	1.17E+01	2.77E+00
4	6.22E-01	1.28E+00	9.02E-01	9.13E-01	1.64E-01
5	1.18E+01	3.33E+01	1.80E+01	1.94E+01	5.52E+00
6	6.97E-01	1.83E+00	1.16E+00	1.19E+00	3.08E-01
7	1.10E+00	3.24E+00	1.90E+00	2.02E+00	5.66E-01
8	3.61E+00	1.30E+01	6.24E+00	7.01E+00	2.31E+00
9	2.73E+00	8.96E+00	6.48E+00	6.45E+00	1.32E+00
10	4.87E+01	5.06E+01	4.96E+01	4.96E+01	4.59E-01

Table 19: Results of SOMA-ATA for 10D (Shift Operator)

Func.	Best	Worst	Median	Mean	Std
1	4.79E+04	4.52E+05	1.66E+05	2.02E+05	1.24E+05
2	4.43E+00	1.86E+01	8.93E+00	9.50E+00	3.18E+00
3	3.45E+00	1.54E+01	1.25E+01	1.17E+01	2.77E+00
4	6.22E-01	1.28E+00	9.02E-01	9.13E-01	1.64E-01
5	1.18E+01	3.33E+01	1.80E+01	1.94E+01	5.52E+00
6	6.97E-01	1.83E+00	1.16E+00	1.19E+00	3.08E-01
7	1.10E+00	3.24E+00	1.90E+00	2.02E+00	5.66E-01
8	3.61E+00	1.30E+01	6.24E+00	7.01E+00	2.31E+00
9	2.73E+00	8.96E+00	6.48E+00	6.45E+00	1.32E+00
10	4.87E+01	5.06E+01	4.96E+01	4.96E+01	4.59E-01

Table 20: Results of SOMA-ATA for 10D (Rotation)

Func.	Best	Worst	Median	Mean	Std
1	1.04E+05	5.42E+05	2.94E+05	3.11E+05	1.27E+05
2	6.44E+00	2.45E+01	1.42E+01	1.43E+01	5.09E+00
3	8.68E+00	1.69E+01	1.36E+01	1.39E+01	1.54E+00
4	6.00E-01	1.31E+00	1.01E+00	1.02E+00	1.61E-01
5	1.33E+01	5.07E+01	2.80E+01	2.98E+01	9.07E+00
6	4.46E-01	1.89E+00	1.26E+00	1.24E+00	3.71E-01
7	1.63E+00	4.75E+00	2.67E+00	2.90E+00	8.13E-01
8	3.18E+00	1.06E+02	2.04E+01	3.40E+01	3.27E+01
9	1.11E+02	3.34E+02	2.11E+02	2.27E+02	8.06E+01
10	4.04E+02	4.35E+02	4.10E+02	4.12E+02	6.97E+00

Table 21: Results of SOMA-ATA for 10D (Translation)

Func.	Best	Worst	Median	Mean	Std
1	3.35E+05	1.92E+06	9.15E+05	9.59E+05	4.20E+05
2	8.28E+01	3.80E+02	1.74E+02	1.87E+02	7.33E+01
3	1.31E+01	2.76E+01	2.12E+01	2.12E+01	3.79E+00
4	1.24E+00	2.07E+00	1.66E+00	1.63E+00	2.49E-01
5	1.53E+02	1.28E+03	3.66E+02	4.17E+02	2.52E+02
6	1.28E+00	1.26E+01	2.90E+00	3.31E+00	2.08E+00
7	5.48E+00	4.79E+01	1.93E+01	2.14E+01	1.12E+01
8	8.22E+01	4.20E+02	1.79E+02	1.91E+02	8.16E+01
9	6.82E+00	1.13E+01	9.36E+00	9.49E+00	1.04E+00
10	5.57E+01	7.54E+01	6.48E+01	6.54E+01	7.10E+00

Table 22: Results of SOMA-ATA for 10D (Shift and Rotation)

Func.	Best	Worst	Median	Mean	Std
1	1.04E+05	5.42E+05	2.94E+05	3.11E+05	1.27E+05
2	6.44E+00	2.45E+01	1.42E+01	1.43E+01	5.09E+00
3	8.68E+00	1.69E+01	1.36E+01	1.39E+01	1.54E+00
4	6.00E-01	1.31E+00	1.01E+00	1.02E+00	1.61E-01
5	1.33E+01	5.07E+01	2.80E+01	2.98E+01	9.07E+00
6	4.46E-01	1.89E+00	1.26E+00	1.24E+00	3.71E-01
7	1.63E+00	4.75E+00	2.67E+00	2.90E+00	8.13E-01
8	3.18E+00	1.06E+02	2.04E+01	3.40E+01	3.27E+01
9	1.11E+02	3.34E+02	2.11E+02	2.27E+02	8.06E+01
10	4.04E+02	4.35E+02	4.10E+02	4.12E+02	6.97E+00

Table 23: Results of SOMA-ATA for 10D (Shift and Translation)

Func.	Best	Worst	Median	Mean	Std
1	3.35E+05	1.92E+06	9.15E+05	9.59E+05	4.20E+05
2	8.28E+01	3.80E+02	1.74E+02	1.87E+02	7.33E+01
3	1.31E+01	2.76E+01	2.12E+01	2.12E+01	3.79E+00
4	1.24E+00	2.07E+00	1.66E+00	1.63E+00	2.49E-01
5	1.53E+02	1.28E+03	3.66E+02	4.17E+02	2.52E+02
6	1.28E+00	1.26E+01	2.90E+00	3.31E+00	2.08E+00
7	5.48E+00	4.79E+01	1.93E+01	2.14E+01	1.12E+01
8	8.22E+01	4.20E+02	1.79E+02	1.91E+02	8.16E+01
9	6.82E+00	1.13E+01	9.36E+00	9.49E+00	1.04E+00
10	5.57E+01	7.54E+01	6.48E+01	6.54E+01	7.10E+00

Table 24: Results of SOMA-ATA for 10D (Rotation and Translation)

Func.	Best	Worst	Median	Mean	Std
1	4.67E+05	3.24E+06	1.00E+06	1.09E+06	5.88E+05
2	7.16E+01	3.79E+02	2.07E+02	2.17E+02	9.55E+01
3	1.89E+01	2.91E+01	2.37E+01	2.34E+01	2.37E+00
4	9.10E-01	2.18E+00	1.66E+00	1.63E+00	3.55E-01
5	1.14E+02	1.43E+03	5.10E+02	5.99E+02	3.09E+02
6	1.31E+00	1.59E+01	2.40E+00	3.31E+00	2.88E+00
7	1.29E+01	1.41E+02	4.27E+01	4.47E+01	2.81E+01
8	2.44E+01	1.09E+02	5.11E+01	6.51E+01	2.90E+01
9	1.33E+02	3.45E+02	1.93E+02	2.09E+02	6.56E+01
10	4.00E+02	4.47E+02	4.06E+02	4.10E+02	1.10E+01

Table 25: Results of SOMA-ATA for 10D (Shift, Rotation and Translation)

Func.	Best	Worst	Median	Mean	Std
1	4.67E+05	3.24E+06	1.00E+06	1.09E+06	5.88E+05
2	7.16E+01	3.79E+02	2.07E+02	2.17E+02	9.55E+01
3	1.89E+01	2.91E+01	2.37E+01	2.34E+01	2.37E+00
4	9.10E-01	2.18E+00	1.66E+00	1.63E+00	3.55E-01
5	1.14E+02	1.43E+03	5.10E+02	5.99E+02	3.09E+02
6	1.31E+00	1.59E+01	2.40E+00	3.31E+00	2.88E+00
7	1.29E+01	1.41E+02	4.27E+01	4.47E+01	2.81E+01
8	2.44E+01	1.09E+02	5.11E+01	6.51E+01	2.90E+01
9	1.33E+02	3.45E+02	1.93E+02	2.09E+02	6.56E+01
10	4.00E+02	4.47E+02	4.06E+02	4.10E+02	1.10E+01

Table 26: Results of SOMA-ATA for 20D (Basic)

Func.	Best	Worst	Median	Mean	Std
1	3.57E-04	2.73E-03	1.02E-03	1.17E-03	6.30E-04
2	6.27E-02	2.02E+00	2.35E-01	5.44E-01	6.72E-01
3	2.02E-05	2.02E+01	2.98E+00	4.57E+00	5.09E+00
4	9.36E-01	1.98E+00	1.57E+00	1.54E+00	2.16E-01
5	2.18E-05	1.20E+00	1.04E-01	1.58E-01	2.14E-01
6	4.21E-01	2.41E+00	1.08E+00	1.16E+00	6.08E-01
7	7.82E-02	6.87E-01	2.71E-01	2.77E-01	1.45E-01
8	0.00E+00	1.04E+01	6.11E-08	3.46E-01	1.89E+00
9	3.72E-05	1.01E-04	6.10E-05	6.58E-05	1.58E-05
10	4.88E+01	5.07E+01	4.89E+01	4.91E+01	5.46E-01

Table 27: Results of SOMA-ATA for 20D (Shift Operator)

Func.	Best	Worst	Median	Mean	Std
1	3.57E-04	2.73E-03	1.02E-03	1.17E-03	6.30E-04
2	6.27E-02	2.02E+00	2.35E-01	5.44E-01	6.72E-01
3	2.02E-05	2.02E+01	2.98E+00	4.57E+00	5.09E+00
4	9.36E-01	1.98E+00	1.57E+00	1.54E+00	2.16E-01
5	2.18E-05	1.20E+00	1.04E-01	1.58E-01	2.14E-01
6	4.21E-01	2.41E+00	1.08E+00	1.16E+00	6.08E-01
7	7.82E-02	6.87E-01	2.71E-01	2.77E-01	1.45E-01
8	0.00E+00	1.04E+01	6.11E-08	3.46E-01	1.89E+00
9	3.72E-05	1.01E-04	6.10E-05	6.58E-05	1.58E-05
10	4.88E+01	5.07E+01	4.89E+01	4.91E+01	5.46E-01

Table 28: Results of SOMA-ATA for 20D (Rotation)

Func.	Best	Worst	Median	Mean	Std
1	1.09E-03	6.84E-03	2.39E-03	2.90E-03	1.60E-03
2	1.88E-01	7.75E+00	1.93E+00	2.36E+00	2.06E+00
3	2.02E+01	2.32E+01	2.08E+01	2.09E+01	8.74E-01
4	1.15E+00	2.02E+00	1.57E+00	1.58E+00	2.29E-01
5	7.77E-06	1.31E+00	2.08E-01	2.97E-01	3.24E-01
6	2.53E-01	7.41E-01	4.79E-01	5.09E-01	1.21E-01
7	5.86E-02	5.36E-01	2.55E-01	2.57E-01	1.25E-01
8	4.50E+01	1.00E+02	1.00E+02	9.82E+01	1.00E+01
9	4.01E+02	4.06E+02	4.02E+02	4.02E+02	9.94E-01
10	4.00E+02	4.86E+02	4.00E+02	4.09E+02	2.16E+01

Table 29: Results of SOMA-ATA for 20D (Translation)

Func.	Best	Worst	Median	Mean	Std
1	6.67E-02	8.14E+00	2.92E-01	6.70E-01	1.49E+00
2	2.92E-01	9.95E+01	3.86E+00	7.71E+00	1.77E+01
3	1.72E+00	2.35E+01	7.08E+00	1.01E+01	7.05E+00
4	1.90E+00	2.80E+00	2.43E+00	2.43E+00	2.20E-01
5	7.13E+03	7.87E+04	2.14E+04	2.66E+04	1.72E+04
6	9.56E-01	4.35E+00	1.84E+00	2.07E+00	8.74E-01
7	3.38E+01	2.26E+03	2.52E+02	4.03E+02	4.33E+02
8	1.37E+02	2.28E+03	4.35E+02	6.22E+02	5.45E+02
9	1.12E-04	3.90E-04	2.28E-04	2.53E-04	8.50E-05
10	6.43E+01	7.60E+01	6.84E+01	6.86E+01	2.92E+00

Table 30: Results of SOMA-ATA for 20D (Shift and Rotation)

Func.	Best	Worst	Median	Mean	Std
1	1.09E-03	6.84E-03	2.39E-03	2.90E-03	1.60E-03
2	1.88E-01	7.75E+00	1.93E+00	2.36E+00	2.06E+00
3	2.02E+01	2.32E+01	2.08E+01	2.09E+01	8.74E-01
4	1.15E+00	2.02E+00	1.57E+00	1.58E+00	2.29E-01
5	7.77E-06	1.31E+00	2.08E-01	2.97E-01	3.24E-01
6	2.53E-01	7.41E-01	4.79E-01	5.09E-01	1.21E-01
7	5.86E-02	5.36E-01	2.55E-01	2.57E-01	1.25E-01
8	4.50E+01	1.00E+02	1.00E+02	9.82E+01	1.00E+01
9	4.01E+02	4.06E+02	4.02E+02	4.02E+02	9.94E-01
10	4.00E+02	4.86E+02	4.00E+02	4.09E+02	2.16E+01

Table 31: Results of SOMA-ATA for 20D (Shift and Translation)

Func.	Best	Worst	Median	Mean	Std
1	6.67E-02	8.14E+00	2.92E-01	6.70E-01	1.49E+00
2	2.92E-01	9.95E+01	3.86E+00	7.71E+00	1.77E+01
3	1.72E+00	2.35E+01	7.08E+00	1.01E+01	7.05E+00
4	1.90E+00	2.80E+00	2.43E+00	2.43E+00	2.20E-01
5	7.13E+03	7.87E+04	2.14E+04	2.66E+04	1.72E+04
6	9.56E-01	4.35E+00	1.84E+00	2.07E+00	8.74E-01
7	3.38E+01	2.26E+03	2.52E+02	4.03E+02	4.33E+02
8	1.37E+02	2.28E+03	4.35E+02	6.22E+02	5.45E+02
9	1.12E-04	3.90E-04	2.28E-04	2.53E-04	8.50E-05
10	6.43E+01	7.60E+01	6.84E+01	6.86E+01	2.92E+00

Table 32: Results of SOMA-ATA for 20D (Rotation and Translation)

Func.	Best	Worst	Median	Mean	Std
1	9.51E-02	1.84E+01	4.26E-01	1.65E+00	3.53E+00
2	3.61E+00	3.02E+01	1.42E+01	1.46E+01	7.26E+00
3	2.05E+01	2.42E+01	2.20E+01	2.19E+01	7.64E-01
4	1.70E+00	3.13E+00	2.41E+00	2.35E+00	3.34E-01
5	1.31E+04	2.48E+05	4.33E+04	6.62E+04	5.52E+04
6	7.55E-01	6.48E+00	1.37E+00	1.86E+00	1.57E+00
7	1.56E+02	2.60E+03	5.28E+02	7.93E+02	6.17E+02
8	1.00E+02	1.12E+02	1.00E+02	1.00E+02	2.17E+00
9	2.55E+02	4.49E+02	4.38E+02	4.27E+02	3.92E+01
10	4.10E+02	4.19E+02	4.14E+02	4.14E+02	1.41E+00

Table 33: Results of SOMA-ATA for 20D (Shift, Rotation and Translation)

Func.	Best	Worst	Median	Mean	Std
1	9.51E-02	1.84E+01	4.26E-01	1.65E+00	3.53E+00
2	3.61E+00	3.02E+01	1.42E+01	1.46E+01	7.26E+00
3	2.05E+01	2.42E+01	2.20E+01	2.19E+01	7.64E-01
4	1.70E+00	3.13E+00	2.41E+00	2.35E+00	3.34E-01
5	1.31E+04	2.48E+05	4.33E+04	6.62E+04	5.52E+04
6	7.55E-01	6.48E+00	1.37E+00	1.86E+00	1.57E+00
7	1.56E+02	2.60E+03	5.28E+02	7.93E+02	6.17E+02
8	1.00E+02	1.12E+02	1.00E+02	1.00E+02	2.17E+00
9	2.55E+02	4.49E+02	4.38E+02	4.27E+02	3.92E+01
10	4.10E+02	4.19E+02	4.14E+02	4.14E+02	1.41E+00

Table 37: Results of SOMA-ATO for 10D (Translation)

Func.	Best	Worst	Median	Mean	Std
1	6.21E+08	8.30E+09	2.35E+09	2.80E+09	1.76E+09
2	2.70E-01	1.64E+02	2.19E+01	4.37E+01	5.28E+01
3	2.66E+00	1.72E+01	1.38E+01	1.23E+01	4.39E+00
4	5.44E-01	1.48E+00	8.62E-01	9.32E-01	2.39E-01
5	1.38E+00	1.08E+06	8.02E+03	2.18E+05	3.17E+05
6	1.10E+00	1.32E+02	3.16E+00	1.89E+01	3.45E+01
7	3.84E-01	2.48E+06	2.36E+04	1.94E+05	4.66E+05
8	8.40E-02	4.96E+02	5.95E+01	8.53E+01	1.16E+02
9	5.53E-02	2.41E-01	1.55E-01	1.49E-01	4.50E-02
10	5.15E+01	7.62E+01	7.29E+01	7.00E+01	8.03E+00

Table 38: Results of SOMA-ATO for 10D (Shift and Rotation)

Func.	Best	Worst	Median	Mean	Std
1	1.90E+08	1.52E+10	2.57E+09	3.83E+09	3.60E+09
2	3.08E-01	1.34E+02	1.38E+01	3.10E+01	4.52E+01
3	1.11E+01	1.44E+01	1.15E+01	1.18E+01	6.92E-01
4	3.14E-01	6.72E-01	4.36E-01	4.63E-01	9.56E-02
5	4.86E-02	4.69E+06	2.44E+05	7.27E+05	1.03E+06
6	1.49E-01	1.26E+01	1.39E+00	2.32E+00	3.40E+00
7	1.62E-01	1.22E+08	5.18E+04	5.67E+06	2.25E+07
8	1.02E-01	1.01E+02	1.00E+02	8.80E+01	3.27E+01
9	1.00E+02	3.40E+02	3.31E+02	3.16E+02	5.88E+01
10	4.00E+02	4.66E+02	4.00E+02	4.16E+02	2.80E+01

Table 39: Results of SOMA-ATO for 10D (Shift and Translation)

Func.	Best	Worst	Median	Mean	Std
1	6.21E+08	8.30E+09	2.35E+09	2.80E+09	1.76E+09
2	2.70E-01	1.64E+02	2.19E+01	4.37E+01	5.28E+01
3	2.66E+00	1.72E+01	1.38E+01	1.23E+01	4.39E+00
4	5.44E-01	1.48E+00	8.62E-01	9.32E-01	2.39E-01
5	1.38E+00	1.08E+06	8.02E+03	2.18E+05	3.17E+05
6	1.10E+00	1.32E+02	3.16E+00	1.89E+01	3.45E+01
7	3.84E-01	2.48E+06	2.36E+04	1.94E+05	4.66E+05
8	8.40E-02	4.96E+02	5.95E+01	8.53E+01	1.16E+02
9	5.53E-02	2.41E-01	1.55E-01	1.49E-01	4.50E-02
10	5.15E+01	7.62E+01	7.29E+01	7.00E+01	8.03E+00

Table 40: Results of SOMA-ATO for 10D (Rotation and Translation)

Func.	Best	Worst	Median	Mean	Std
1	7.36E+08	1.48E+10	2.67E+09	4.04E+09	3.19E+09
2	1.38E+01	3.12E+02	4.70E+01	9.77E+01	1.00E+02
3	1.14E+01	1.96E+01	1.45E+01	1.45E+01	1.87E+00
4	8.11E-01	1.12E+05	1.15E+00	3.77E+03	2.04E+04
5	1.82E+00	1.54E+06	1.11E+05	2.64E+05	4.02E+05
6	4.14E-01	1.46E+02	2.28E+00	3.81E+01	5.76E+01
7	4.28E-01	1.70E+06	5.01E+04	1.94E+05	4.02E+05
8	1.16E+01	1.04E+02	1.01E+02	8.98E+01	2.99E+01
9	1.00E+02	3.60E+02	3.49E+02	3.32E+02	6.33E+01
10	3.98E+02	4.52E+02	4.44E+02	4.26E+02	2.40E+01

Table 41: Results of SOMA-ATO for 10D (Shift, Rotation and Translation)

Func.	Best	Worst	Median	Mean	Std
1	7.36E+08	1.48E+10	2.67E+09	4.04E+09	3.19E+09
2	1.38E+01	3.12E+02	4.70E+01	9.77E+01	1.00E+02
3	1.14E+01	1.96E+01	1.45E+01	1.45E+01	1.87E+00
4	8.11E-01	1.12E+05	1.15E+00	3.77E+03	2.04E+04
5	1.82E+00	1.54E+06	1.11E+05	2.64E+05	4.02E+05
6	4.14E-01	1.46E+02	2.28E+00	3.81E+01	5.76E+01
7	4.28E-01	1.70E+06	5.01E+04	1.94E+05	4.02E+05
8	1.16E+01	1.04E+02	1.01E+02	8.98E+01	2.99E+01
9	1.00E+02	3.60E+02	3.49E+02	3.32E+02	6.33E+01
10	3.98E+02	4.52E+02	4.44E+02	4.26E+02	2.40E+01

Table 42: Results of SOMA-ATO for 20D (Basic)

Func.	Best	Worst	Median	Mean	Std
1	6.99E+09	1.92E+10	1.19E+10	1.19E+10	2.86E+09
2	3.73E+00	2.44E+02	1.22E+01	7.56E+01	8.60E+01
3	3.16E+00	3.93E+01	2.63E+01	2.26E+01	9.89E+00
4	6.05E-01	2.37E+00	1.34E+00	1.40E+00	3.46E-01
5	6.78E+00	3.75E+07	4.33E+06	6.71E+06	8.80E+06
6	2.34E+00	1.49E+01	6.23E+00	7.09E+00	3.21E+00
7	1.01E+00	2.32E+07	7.90E+05	3.99E+06	5.68E+06
8	1.14E+01	1.52E+02	4.33E+01	4.77E+01	2.97E+01
9	1.59E-01	2.58E+00	3.41E-01	4.21E-01	4.19E-01
10	4.93E+01	8.21E+01	5.32E+01	6.06E+01	1.31E+01

Table 43: Results of SOMA-ATO for 20D (Shift Operator)

Func.	Best	Worst	Median	Mean	Std
1	6.99E+09	1.92E+10	1.19E+10	1.19E+10	2.86E+09
2	3.73E+00	2.44E+02	1.22E+01	7.56E+01	8.60E+01
3	3.16E+00	3.93E+01	2.63E+01	2.26E+01	9.89E+00
4	6.05E-01	2.37E+00	1.34E+00	1.40E+00	3.46E-01
5	6.78E+00	3.75E+07	4.33E+06	6.71E+06	8.80E+06
6	2.34E+00	1.49E+01	6.23E+00	7.09E+00	3.21E+00
7	1.01E+00	2.32E+07	7.90E+05	3.99E+06	5.68E+06
8	1.14E+01	1.52E+02	4.33E+01	4.77E+01	2.97E+01
9	1.59E-01	2.58E+00	3.41E-01	4.21E-01	4.19E-01
10	4.93E+01	8.21E+01	5.32E+01	6.06E+01	1.31E+01

Table 47: Results of SOMA-ATO for 20D (Shift and Translation)

Func.	Best	Worst	Median	Mean	Std
1	6.85E+09	1.90E+10	1.27E+10	1.31E+10	3.51E+09
2	3.72E+00	3.17E+02	2.20E+01	9.05E+01	9.74E+01
3	3.79E+00	4.84E+01	2.76E+01	2.55E+01	9.78E+00
4	1.19E+00	2.47E+00	1.69E+00	1.81E+00	3.92E-01
5	1.02E+03	9.04E+06	7.35E+05	1.48E+06	2.02E+06
6	2.53E+00	1.28E+02	7.29E+00	1.20E+01	2.23E+01
7	4.20E+01	1.92E+06	4.22E+04	3.52E+05	4.96E+05
8	1.01E+02	2.00E+03	3.16E+02	5.01E+02	5.13E+02
9	2.46E-01	6.02E+00	4.11E-01	8.29E-01	1.32E+00
10	6.40E+01	1.11E+02	7.74E+01	8.00E+01	1.14E+01

Table 48: Results of SOMA-ATO for 20D (Rotation and Translation)

Func.	Best	Worst	Median	Mean	Std
1	9.35E+09	3.43E+10	2.12E+10	2.18E+10	5.81E+09
2	5.48E+00	5.19E+02	1.53E+02	1.86E+02	1.40E+02
3	2.35E+01	3.61E+01	2.85E+01	2.91E+01	3.21E+00
4	1.16E+00	5.25E+05	2.09E+00	3.78E+04	1.12E+05
5	9.83E+02	8.66E+06	4.56E+05	1.63E+06	2.37E+06
6	2.43E+00	1.53E+02	9.29E+00	1.94E+01	3.38E+01
7	9.72E+01	4.55E+06	3.04E+05	9.61E+05	1.30E+06
8	1.00E+02	1.55E+03	1.02E+02	3.51E+02	5.22E+02
9	4.20E+02	4.79E+02	4.39E+02	4.44E+02	1.39E+01
10	4.10E+02	5.03E+02	4.14E+02	4.40E+02	3.25E+01

Table 49: Results of SOMA-ATO for 20D (Shift, Rotation and Translation)

Func.	Best	Worst	Median	Mean	Std
1	9.35E+09	3.43E+10	2.12E+10	2.18E+10	5.81E+09
2	5.48E+00	5.19E+02	1.53E+02	1.86E+02	1.40E+02
3	2.35E+01	3.61E+01	2.85E+01	2.91E+01	3.21E+00
4	1.16E+00	5.25E+05	2.09E+00	3.78E+04	1.12E+05
5	9.83E+02	8.66E+06	4.56E+05	1.63E+06	2.37E+06
6	2.43E+00	1.53E+02	9.29E+00	1.94E+01	3.38E+01
7	9.72E+01	4.55E+06	3.04E+05	9.61E+05	1.30E+06
8	1.00E+02	1.55E+03	1.02E+02	3.51E+02	5.22E+02
9	4.20E+02	4.79E+02	4.39E+02	4.44E+02	1.39E+01
10	4.10E+02	5.03E+02	4.14E+02	4.40E+02	3.25E+01

Table 50: Results of SOMA-ATR for 10D (Basic)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	0.00E+00	3.12E-01	1.87E-01	1.66E-01	6.72E-02
3	0.00E+00	1.12E+01	1.09E+01	8.41E+00	3.95E+00
4	3.62E-02	4.55E-01	3.05E-01	2.86E-01	1.05E-01
5	0.00E+00	2.08E-01	0.00E+00	4.16E-02	8.47E-02
6	7.17E-04	2.20E-01	2.36E-02	4.67E-02	6.94E-02
7	1.31E-06	8.58E-03	8.41E-04	1.80E-03	2.28E-03
8	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	2.50E-02	4.88E+01	4.80E+01	4.33E+01	1.46E+01

Table 51: Results of SOMA-ATR for 10D (Shift Operator)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	0.00E+00	3.12E-01	1.87E-01	1.66E-01	6.72E-02
3	0.00E+00	1.12E+01	1.09E+01	8.41E+00	3.95E+00
4	3.62E-02	4.55E-01	3.05E-01	2.86E-01	1.05E-01
5	0.00E+00	2.08E-01	0.00E+00	4.16E-02	8.47E-02
6	7.17E-04	2.20E-01	2.36E-02	4.67E-02	6.94E-02
7	1.31E-06	8.58E-03	8.41E-04	1.80E-03	2.28E-03
8	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	2.50E-02	4.88E+01	4.80E+01	4.33E+01	1.46E+01

Table 52: Results of SOMA-ATR for 10D (Rotation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	6.25E-02	1.18E+01	1.87E-01	8.96E-01	2.43E+00
3	7.05E+00	1.11E+01	1.09E+01	1.08E+01	7.12E-01
4	1.97E-01	4.27E-01	3.37E-01	3.27E-01	6.09E-02
5	0.00E+00	2.08E-01	0.00E+00	4.68E-02	8.68E-02
6	6.41E-04	3.32E+00	1.94E-02	1.33E-01	6.03E-01
7	6.95E-07	3.16E-01	4.31E-04	1.33E-02	5.78E-02
8	5.00E-08	1.00E+02	7.55E+01	5.69E+01	4.46E+01
9	1.20E+02	3.33E+02	3.28E+02	2.91E+02	7.20E+01
10	4.00E+02	4.00E+02	4.00E+02	4.00E+02	0.00E+00

Table 53: Results of SOMA-ATR for 10D (Translation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	3.66E+00	1.58E+02	4.02E+01	4.44E+01	2.86E+01
3	3.39E+00	1.73E+01	1.31E+01	1.24E+01	2.71E+00
4	5.78E-01	1.07E+00	8.51E-01	8.28E-01	1.34E-01
5	1.49E+00	2.68E+02	1.95E+01	3.08E+01	5.04E+01
6	3.69E-01	1.20E+01	7.36E-01	1.11E+00	2.08E+00
7	1.56E-03	9.89E-01	2.96E-02	2.12E-01	2.79E-01
8	4.82E-06	3.64E+02	4.48E+01	4.91E+01	6.45E+01
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	5.22E+01	7.34E+01	7.15E+01	6.75E+01	7.05E+00

Table 57: Results of SOMA-ATR for 10D (Shift, Rotation and Translation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	8.00E+00	1.55E+02	3.35E+01	5.32E+01	4.28E+01
3	1.11E+01	1.55E+01	1.26E+01	1.28E+01	1.05E+00
4	5.26E-01	1.25E+00	9.05E-01	8.95E-01	1.84E-01
5	1.42E+00	1.35E+02	7.67E+00	1.69E+01	2.57E+01
6	2.11E-01	4.21E+00	5.20E-01	7.24E-01	7.45E-01
7	1.20E-04	1.71E+01	3.10E-01	8.59E-01	3.08E+00
8	2.27E+01	1.01E+02	1.00E+02	8.38E+01	2.62E+01
9	1.41E+02	3.47E+02	3.38E+02	2.95E+02	6.62E+01
10	3.98E+02	4.47E+02	4.01E+02	4.18E+02	2.21E+01

Table 58: Results of SOMA-ATR for 20D (Basic)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	1.25E-01	3.60E+00	1.85E+00	1.50E+00	1.29E+00
3	0.00E+00	2.08E+01	2.98E+00	5.85E+00	6.53E+00
4	3.64E-01	1.35E+00	9.49E-01	9.79E-01	2.26E-01
5	0.00E+00	1.31E+00	1.04E-01	2.13E-01	2.79E-01
6	3.99E-01	1.84E+00	9.28E-01	9.25E-01	3.29E-01
7	1.23E-02	4.08E+00	1.12E-01	4.88E-01	1.15E+00
8	0.00E+00	1.18E+01	0.00E+00	2.54E+00	4.70E+00
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	4.88E+01	7.62E+01	4.93E+01	5.24E+01	7.66E+00

Table 59: Results of SOMA-ATR for 20D (Shift Operator)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	1.25E-01	3.60E+00	1.85E+00	1.50E+00	1.29E+00
3	0.00E+00	2.08E+01	2.98E+00	5.85E+00	6.53E+00
4	3.64E-01	1.35E+00	9.49E-01	9.79E-01	2.26E-01
5	0.00E+00	1.31E+00	1.04E-01	2.13E-01	2.79E-01
6	3.99E-01	1.84E+00	9.28E-01	9.25E-01	3.29E-01
7	1.23E-02	4.08E+00	1.12E-01	4.88E-01	1.15E+00
8	0.00E+00	1.18E+01	0.00E+00	2.54E+00	4.70E+00
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	4.88E+01	7.62E+01	4.93E+01	5.24E+01	7.66E+00

Table 60: Results of SOMA-ATR for 20D (Rotation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	2.81E-01	1.46E+02	7.76E+00	3.04E+01	4.25E+01
3	2.02E+01	2.29E+01	2.08E+01	2.09E+01	6.18E-01
4	4.94E-01	1.41E+00	1.13E+00	1.09E+00	1.82E-01
5	0.00E+00	6.58E+00	1.56E-01	4.35E-01	1.19E+00
6	1.38E-01	2.51E+01	3.22E+00	4.97E+00	6.55E+00
7	7.11E-03	5.07E-01	1.86E-01	1.88E-01	1.13E-01
8	6.07E+01	1.03E+02	1.00E+02	9.88E+01	7.23E+00
9	4.01E+02	4.07E+02	4.02E+02	4.03E+02	1.92E+00
10	4.00E+02	4.87E+02	4.00E+02	4.20E+02	3.69E+01

Table 54: Results of SOMA-ATR for 10D (Shift and Rotation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	6.25E-02	1.18E+01	1.87E-01	8.96E-01	2.43E+00
3	7.05E+00	1.11E+01	1.09E+01	1.08E+01	7.12E-01
4	1.97E-01	4.27E-01	3.37E-01	3.27E-01	6.09E-02
5	0.00E+00	2.08E-01	0.00E+00	4.68E-02	8.68E-02
6	6.41E-04	3.32E+00	1.94E-02	1.33E-01	6.03E-01
7	6.95E-07	3.16E-01	4.31E-04	1.33E-02	5.78E-02
8	5.00E-08	1.00E+02	7.55E+01	5.69E+01	4.46E+01
9	1.20E+02	3.33E+02	3.28E+02	2.91E+02	7.20E+01
10	4.00E+02	4.00E+02	4.00E+02	4.00E+02	0.00E+00

Table 55: Results of SOMA-ATR for 10D (Shift and Translation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	3.66E+00	1.58E+02	4.02E+01	4.44E+01	2.86E+01
3	3.39E+00	1.73E+01	1.31E+01	1.24E+01	2.71E+00
4	5.78E-01	1.07E+00	8.51E-01	8.28E-01	1.34E-01
5	1.49E+00	2.68E+02	1.95E+01	3.08E+01	5.04E+01
6	3.69E-01	1.20E+01	7.36E-01	1.11E+00	2.08E+00
7	1.56E-03	9.89E-01	2.96E-02	2.12E-01	2.79E-01
8	4.82E-06	3.64E+02	4.48E+01	4.91E+01	6.45E+01
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	5.22E+01	7.34E+01	7.15E+01	6.75E+01	7.05E+00

Table 56: Results of SOMA-ATR for 10D (Rotation and Translation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	8.00E+00	1.55E+02	3.35E+01	5.32E+01	4.28E+01
3	1.11E+01	1.55E+01	1.26E+01	1.28E+01	1.05E+00
4	5.26E-01	1.25E+00	9.05E-01	8.95E-01	1.84E-01
5	1.42E+00	1.35E+02	7.67E+00	1.69E+01	2.57E+01
6	2.11E-01	4.21E+00	5.20E-01	7.24E-01	7.45E-01
7	1.20E-04	1.71E+01	3.10E-01	8.59E-01	3.08E+00
8	2.27E+01	1.01E+02	1.00E+02	8.38E+01	2.62E+01
9	1.41E+02	3.47E+02	3.38E+02	2.95E+02	6.62E+01
10	3.98E+02	4.47E+02	4.01E+02	4.18E+02	2.21E+01

Table 64: Results of SOMA-ATR for 20D (Rotation and Translation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	1.86E+00	1.60E+02	1.44E+01	2.28E+01	3.58E+01
3	2.04E+01	2.27E+01	2.13E+01	2.15E+01	5.73E-01
4	9.64E-01	2.40E+00	1.68E+00	1.66E+00	2.82E-01
5	3.86E+03	1.20E+05	3.85E+04	4.14E+04	2.73E+04
6	6.21E-01	2.54E+01	1.28E+00	3.98E+00	5.77E+00
7	1.84E+01	2.49E+03	1.47E+02	2.78E+02	4.48E+02
8	1.00E+02	4.84E+02	1.00E+02	1.14E+02	7.02E+01
9	4.17E+02	4.40E+02	4.28E+02	4.28E+02	5.78E+00
10	4.14E+02	4.94E+02	4.14E+02	4.41E+02	3.21E+01

Table 65: Results of SOMA-ATR for 20D (Shift, Rotation and Translation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	1.86E+00	1.60E+02	1.44E+01	2.28E+01	3.58E+01
3	2.04E+01	2.27E+01	2.13E+01	2.15E+01	5.73E-01
4	9.64E-01	2.40E+00	1.68E+00	1.66E+00	2.82E-01
5	3.86E+03	1.20E+05	3.85E+04	4.14E+04	2.73E+04
6	6.21E-01	2.54E+01	1.28E+00	3.98E+00	5.77E+00
7	1.84E+01	2.49E+03	1.47E+02	2.78E+02	4.48E+02
8	1.00E+02	4.84E+02	1.00E+02	1.14E+02	7.02E+01
9	4.17E+02	4.40E+02	4.28E+02	4.28E+02	5.78E+00
10	4.14E+02	4.94E+02	4.14E+02	4.41E+02	3.21E+01

Table 66: Results of SOMA-CLP for 10D (Basic)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	6.42E-05	1.96E-01	1.25E-01	1.04E-01	4.88E-02
3	9.96E-01	1.09E+01	4.11E+00	6.03E+00	3.86E+00
4	7.15E-02	5.18E-01	3.89E-01	3.60E-01	1.11E-01
5	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
6	1.32E-02	6.40E-02	2.55E-02	3.11E-02	1.43E-02
7	2.10E-06	1.16E-02	8.69E-04	2.15E-03	2.64E-03
8	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	4.34E-02	4.81E+01	4.80E+01	2.91E+01	2.36E+01

Table 67: Results of SOMA-CLP for 10D (Shift Operator)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	6.62E-07	3.12E-01	1.25E-01	1.19E-01	7.20E-02
3	7.00E-04	1.09E+01	4.00E+00	5.40E+00	3.76E+00
4	5.43E-02	5.40E-01	3.01E-01	3.08E-01	1.03E-01
5	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
6	2.88E-03	5.22E-02	2.72E-02	2.84E-02	1.26E-02
7	1.66E-05	1.01E-02	1.80E-03	2.95E-03	3.02E-03
8	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	2.78E-02	4.83E+01	4.80E+01	3.04E+01	2.29E+01

Table 61: Results of SOMA-ATR for 20D (Translation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	2.81E-01	1.45E+01	3.66E+00	4.50E+00	3.18E+00
3	0.00E+00	2.23E+01	2.96E+00	5.21E+00	6.02E+00
4	8.25E-01	2.22E+00	1.62E+00	1.59E+00	3.15E-01
5	1.72E+03	3.19E+04	8.31E+03	9.76E+03	7.02E+03
6	5.02E-01	4.66E+00	2.42E+00	2.37E+00	1.12E+00
7	3.80E+01	6.66E+02	1.65E+02	2.36E+02	1.75E+02
8	5.04E+01	1.52E+03	1.89E+02	2.98E+02	3.14E+02
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	6.48E+01	8.08E+01	7.01E+01	7.11E+01	4.60E+00

Table 62: Results of SOMA-ATR for 20D (Shift and Rotation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	2.81E-01	1.46E+02	7.76E+00	3.04E+01	4.25E+01
3	2.02E+01	2.29E+01	2.08E+01	2.09E+01	6.18E-01
4	4.94E-01	1.41E+00	1.13E+00	1.09E+00	1.82E-01
5	0.00E+00	6.58E+00	1.56E-01	4.35E-01	1.19E+00
6	1.38E-01	2.51E+01	3.22E+00	4.97E+00	6.55E+00
7	7.11E-03	5.07E-01	1.86E-01	1.88E-01	1.13E-01
8	6.07E+01	1.03E+02	1.00E+02	9.88E+01	7.23E+00
9	4.01E+02	4.07E+02	4.02E+02	4.03E+02	1.92E+00
10	4.00E+02	4.87E+02	4.00E+02	4.20E+02	3.69E+01

Table 63: Results of SOMA-ATR for 20D (Shift and Translation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	2.81E-01	1.45E+01	3.66E+00	4.50E+00	3.18E+00
3	0.00E+00	2.23E+01	2.96E+00	5.21E+00	6.02E+00
4	8.25E-01	2.22E+00	1.62E+00	1.59E+00	3.15E-01
5	1.72E+03	3.19E+04	8.31E+03	9.76E+03	7.02E+03
6	5.02E-01	4.66E+00	2.42E+00	2.37E+00	1.12E+00
7	3.80E+01	6.66E+02	1.65E+02	2.36E+02	1.75E+02
8	5.04E+01	1.52E+03	1.89E+02	2.98E+02	3.14E+02
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	6.48E+01	8.08E+01	7.01E+01	7.11E+01	4.60E+00

Table 71: Results of SOMA-CLP for 10D (Shift and Translation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	6.91E-07	2.24E-08	7.06E-08	1.38E-07
2	3.02E-01	2.21E+01	5.23E+00	6.13E+00	5.27E+00
3	8.67E+00	1.83E+01	1.36E+01	1.37E+01	1.98E+00
4	2.58E-01	1.12E+00	6.61E-01	6.69E-01	1.81E-01
5	2.12E-01	9.33E+00	2.03E+00	2.77E+00	2.33E+00
6	7.12E-02	9.80E-01	4.54E-01	4.62E-01	2.21E-01
7	2.98E-03	8.11E-01	3.21E-01	3.07E-01	2.08E-01
8	3.94E-05	4.88E-01	3.44E+01	2.47E+01	1.82E+01
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	5.15E+01	5.32E+01	5.21E+01	5.21E+01	3.74E-01

Table 72: Results of SOMA-CLP for 10D (Rotation and Translation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	2.10E-06	3.67E-08	2.11E-07	5.14E-07
2	3.67E+00	3.20E+01	1.37E+01	1.56E+01	9.40E+00
3	1.09E+01	1.87E+01	1.35E+01	1.38E+01	1.59E+00
4	9.92E-03	6.09E-01	1.81E-01	2.14E-01	1.73E-01
5	3.07E-01	2.39E+01	1.20E+01	1.03E+01	6.55E+00
6	3.83E-02	8.18E-01	2.62E-01	3.33E-01	1.91E-01
7	2.48E-03	6.31E-01	2.42E-01	1.96E-01	1.67E-01
8	9.77E-01	1.00E+02	2.81E+01	3.27E+01	2.22E+01
9	3.47E+00	1.00E+02	1.00E+02	9.20E+01	2.49E+01
10	3.98E+02	4.00E+02	4.00E+02	3.99E+02	7.97E-01

Table 73: Results of SOMA-CLP for 10D (Shift, Rotation and Translation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	9.50E-07	2.94E-08	7.77E-08	1.79E-07
2	3.14E-01	5.03E+01	1.53E+01	1.52E+01	1.13E+01
3	1.15E+01	1.65E+01	1.35E+01	1.35E+01	1.30E+00
4	9.89E-03	7.51E-01	1.30E-01	2.00E-01	1.93E-01
5	3.66E-01	2.55E+01	1.10E+01	9.43E+00	7.02E+00
6	3.61E-02	7.34E-01	2.78E-01	2.73E-01	1.56E-01
7	2.88E-03	6.38E-01	1.22E-01	1.84E-01	1.69E-01
8	1.45E-01	1.00E+02	2.81E+01	2.81E+01	1.98E+01
9	3.70E+00	1.01E+02	1.00E+02	9.69E+01	1.76E+01
10	1.11E+02	4.00E+02	3.98E+02	3.89E+02	5.25E+01

Table 74: Results of SOMA-CLP for 20D (Basic)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	3.12E-02	3.12E-01	1.87E-01	1.73E-01	5.88E-02
3	0.00E+00	5.97E+00	1.99E+00	2.16E+00	1.63E+00
4	5.37E-01	1.04E+00	9.33E-01	8.88E-01	1.45E-01
5	0.00E+00	2.08E-01	0.00E+00	3.47E-02	5.69E-02
6	5.30E-02	6.01E-01	4.28E-01	3.92E-01	1.58E-01
7	1.60E-02	2.61E-01	6.64E-02	8.84E-02	5.52E-02
8	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	4.88E+01	4.89E+01	4.88E+01	4.88E+01	4.59E-02

Table 75: Results of SOMA-CLP for 20D (Shift Operator)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	6.25E-02	2.50E-01	1.56E-01	1.67E-01	4.64E-02
3	0.00E+00	6.96E+00	1.99E+00	2.09E+00	1.74E+00
4	5.70E-01	1.17E+00	8.95E-01	8.78E-01	1.47E-01
5	0.00E+00	2.08E-01	0.00E+00	4.51E-02	5.92E-02
6	6.75E-02	6.42E-01	4.12E-01	3.89E-01	1.52E-01
7	2.77E-02	3.34E-01	6.58E-02	8.87E-02	6.97E-02
8	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	4.88E+01	4.90E+01	4.88E+01	4.88E+01	6.43E-02

Table 76: Results of SOMA-CLP for 20D (Rotation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	6.25E-02	2.66E-01	1.58E-01	1.68E-01	5.73E-02
3	2.02E+01	2.02E+01	2.02E+01	2.02E+01	0.00E+00
4	6.49E-01	1.33E+00	9.69E-01	9.79E-01	1.87E-01
5	0.00E+00	2.08E-01	0.00E+00	3.82E-02	5.79E-02
6	5.14E-02	5.53E-01	2.70E-01	2.75E-01	1.08E-01
7	2.67E-02	2.15E-01	8.82E-02	9.61E-02	5.21E-02
8	1.09E-04	1.00E+02	1.00E+02	7.81E+01	3.68E+01
9	1.00E+02	4.00E+02	1.00E+02	1.63E+02	1.10E+02
10	4.00E+02	4.00E+02	4.00E+02	4.00E+02	0.00E+00

Table 77: Results of SOMA-CLP for 20D (Translation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	1.56E-01	4.49E+00	9.98E-01	1.44E+00	1.32E+00
3	5.42E+00	2.40E+01	1.41E+01	1.48E+01	5.50E+00
4	6.72E-01	1.55E+00	1.12E+00	1.12E+00	2.27E-01
5	1.97E+01	8.45E+02	1.53E+02	2.36E+02	2.26E+02
6	2.99E-01	1.06E+00	6.63E-01	6.47E-01	1.71E-01
7	7.03E-01	5.23E+01	4.21E+00	8.71E+00	1.05E+01
8	5.97E+01	3.04E+02	1.25E+02	1.42E+02	6.11E+01
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	6.31E+01	6.62E+01	6.46E+01	6.45E+01	7.58E-01

Table 81: Results of SOMA-CLP for 20D (Shift, Rotation and Translation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	2.19E-01	1.34E+01	3.66E+00	4.50E+00	3.46E+00
3	2.04E+01	2.24E+01	2.12E+01	2.13E+01	6.40E-01
4	5.07E-01	1.73E+00	1.16E+00	1.17E+00	2.78E-01
5	1.67E+02	8.88E+03	7.78E+02	1.43E+03	1.74E+03
6	2.06E-01	1.69E+00	7.96E-01	9.00E-01	4.03E-01
7	3.11E+00	1.37E+02	2.77E+01	3.74E+01	2.90E+01
8	3.64E+01	1.01E+02	1.00E+02	9.53E+01	1.35E+01
9	1.00E+02	4.31E+02	1.00E+02	1.43E+02	1.00E+02
10	4.00E+02	4.14E+02	4.14E+02	4.13E+02	2.45E+00

Table 80: Results of SOMA-CLP for 20D (Rotation and Translation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	1.43E-01	9.63E+00	2.85E+00	3.74E+00	2.73E+00
3	2.04E+01	2.23E+01	2.11E+01	2.12E+01	6.14E-01
4	7.94E-01	1.85E+00	1.22E+00	1.25E+00	2.60E-01
5	1.37E+02	4.02E+03	9.81E+02	1.20E+03	9.49E+02
6	2.18E-01	1.63E+00	1.02E+00	9.69E-01	4.09E-01
7	9.26E+00	2.52E+02	2.94E+01	3.75E+01	4.44E+01
8	4.00E+01	1.02E+02	1.00E+02	9.03E+01	1.84E+01
9	1.00E+02	4.34E+02	1.00E+02	1.78E+02	1.38E+02
10	4.01E+02	4.14E+02	4.14E+02	4.13E+02	2.39E+00

Table 78: Results of SOMA-CLP for 20D (Shift and Rotation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	3.13E-02	2.81E-01	1.56E-01	1.61E-01	5.59E-02
3	1.51E+01	2.02E+01	2.02E+01	1.99E+01	9.69E-01
4	5.66E-01	1.22E+00	8.59E-01	8.78E-01	1.80E-01
5	0.00E+00	2.08E-01	0.00E+00	3.82E-02	5.79E-02
6	1.02E-01	5.68E-01	3.05E-01	3.01E-01	1.02E-01
7	2.40E-02	3.36E-01	7.82E-02	1.04E-01	7.55E-02
8	1.38E-03	1.00E+02	1.00E+02	7.67E+01	4.04E+01
9	1.00E+02	4.00E+02	1.00E+02	1.60E+02	1.07E+02
10	4.00E+02	4.00E+02	4.00E+02	4.00E+02	0.00E+00

Table 68: Results of SOMA-CLP for 10D (Rotation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	2.81E-07	2.50E-01	6.87E-02	9.23E-02	6.53E-02
3	5.68E+00	1.09E+01	1.09E+01	1.06E+01	1.07E+00
4	1.98E-02	6.22E-01	3.70E-01	3.58E-01	1.35E-01
5	0.00E+00	2.37E-04	0.00E+00	7.92E-06	4.34E-05
6	1.45E-03	5.50E-02	2.52E-02	2.42E-02	1.06E-02
7	2.66E-06	1.11E-02	1.21E-03	2.65E-03	3.10E-03
8	8.45E-05	1.07E+01	2.20E-03	7.19E-01	2.71E+00
9	3.26E+00	1.00E+02	1.00E+02	9.15E+01	2.34E+01
10	2.25E+02	4.00E+02	4.00E+02	3.94E+02	3.19E+01

Table 79: Results of SOMA-CLP for 20D (Shift and Translation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	1.87E-01	6.04E+00	1.94E+00	1.88E+00	1.51E+00
3	5.97E+00	2.35E+01	1.21E+01	1.33E+01	5.09E+00
4	6.69E-01	1.78E+00	1.13E+00	1.18E+00	2.23E-01
5	3.86E+00	1.33E+03	1.87E+02	2.04E+02	2.54E+02
6	2.73E-01	9.88E-01	6.30E-01	6.38E-01	1.79E-01
7	3.91E-01	6.12E+01	5.95E+00	1.11E+01	1.45E+01
8	5.24E+01	3.03E+02	1.33E+02	1.44E+02	5.45E+01
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	6.31E+01	6.79E+01	6.41E+01	6.44E+01	1.02E+00

Table 69: Results of SOMA-CLP for 10D (Translation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	3.07E-07	2.40E-08	5.18E-08	7.52E-08
2	2.70E-01	2.30E+01	6.92E+00	7.50E+00	6.43E+00
3	4.68E+00	1.82E+01	1.40E+01	1.38E+01	2.28E+00
4	2.62E-01	1.06E+00	6.62E-01	6.45E-01	1.79E-01
5	1.62E-02	1.54E+01	1.60E+00	2.58E+00	3.20E+00
6	4.97E-02	9.53E-01	4.35E-01	4.52E-01	2.18E-01
7	6.91E-03	1.11E+00	2.51E-01	3.10E-01	2.76E-01
8	2.18E-08	5.47E+01	1.01E-01	1.60E+01	2.04E+01
9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
10	5.15E+01	7.25E+01	5.20E+01	5.27E+01	3.76E+00

Table 70: Results of SOMA-CLP for 10D (Shift and Rotation)

Func.	Best	Worst	Median	Mean	Std
1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
2	5.34E-05	1.91E-01	1.25E-01	1.06E-01	5.72E-02
3	3.12E+00	1.09E+01	1.09E+01	1.04E+01	1.81E+00
4	1.46E-06	5.04E-01	3.57E-01	3.48E-01	1.04E-01
5	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
6	3.81E-03	5.03E-02	2.81E-02	2.94E-02	1.00E-02
7	1.32E-05	1.61E-02	9.66E-04	2.91E-03	4.23E-03
8	6.93E-05	3.07E-02	1.34E-03	3.42E-03	5.80E-03
9	3.08E+00	1.00E+02	1.00E+02	8.68E+01	3.06E+01
10	2.02E+02	4.00E+02	4.00E+02	3.87E+02	4.91E+01

Table 44: Results of SOMA-ATO for 20D (Rotation)

Func.	Best	Worst	Median	Mean	Std
1	6.16E+09	3.08E+10	1.84E+10	1.93E+10	6.30E+09
2	7.25E+00	4.35E+02	1.38E+02	1.58E+02	1.12E+02
3	2.27E+01	3.87E+01	2.85E+01	2.85E+01	4.09E+00
4	8.80E-01	2.08E+00	1.35E+00	1.38E+00	2.73E-01
5	9.23E+00	6.63E+07	2.50E+06	1.17E+07	1.76E+07
6	2.15E+00	2.54E+02	8.83E+00	2.81E+01	4.88E+01
7	2.12E+00	6.19E+07	5.08E+05	5.81E+06	1.26E+07
8	1.00E+02	1.02E+02	1.00E+02	1.01E+02	4.80E-01
9	4.03E+02	4.27E+02	4.13E+02	4.13E+02	6.87E+00
10	4.00E+02	5.07E+02	4.86E+02	4.62E+02	4.04E+01

Table 45: Results of SOMA-ATO for 20D (Translation)

Func.	Best	Worst	Median	Mean	Std
1	6.85E+09	1.90E+10	1.27E+10	1.31E+10	3.51E+09
2	3.72E+00	3.17E+02	2.20E+01	9.05E+01	9.74E+01
3	3.79E+00	4.84E+01	2.76E+01	2.55E+01	9.78E+00
4	1.19E+00	2.47E+00	1.69E+00	1.81E+00	3.92E-01
5	1.02E+03	9.04E+06	7.35E+05	1.48E+06	2.02E+06
6	2.53E+00	1.28E+02	7.29E+00	1.20E+01	2.23E+01
7	4.20E+01	1.92E+06	4.22E+04	3.52E+05	4.96E+05
8	1.01E+02	2.00E+03	3.16E+02	5.01E+02	5.13E+02
9	2.46E-01	6.02E+00	4.11E-01	8.29E-01	1.32E+00
10	6.40E+01	1.11E+02	7.74E+01	8.00E+01	1.14E+01

Table 46: Results of SOMA-ATO for 20D (Shift and Rotation)

Func.	Best	Worst	Median	Mean	Std
1	6.16E+09	3.08E+10	1.84E+10	1.93E+10	6.30E+09
2	7.25E+00	4.35E+02	1.38E+02	1.58E+02	1.12E+02
3	2.27E+01	3.87E+01	2.85E+01	2.85E+01	4.09E+00
4	8.80E-01	2.08E+00	1.35E+00	1.38E+00	2.73E-01
5	9.23E+00	6.63E+07	2.50E+06	1.17E+07	1.76E+07
6	2.15E+00	2.54E+02	8.83E+00	2.81E+01	4.88E+01
7	2.12E+00	6.19E+07	5.08E+05	5.81E+06	1.26E+07
8	1.00E+02	1.02E+02	1.00E+02	1.01E+02	4.80E-01
9	4.03E+02	4.27E+02	4.13E+02	4.13E+02	6.87E+00
10	4.00E+02	5.07E+02	4.86E+02	4.62E+02	4.04E+01

Table 34: Results of SOMA-ATO for 10D (Basic)

Func.	Best	Worst	Median	Mean	Std
1	4.00E+08	6.18E+09	2.27E+09	2.54E+09	1.43E+09
2	2.20E-01	1.05E+01	3.66E+00	4.12E+00	2.75E+00
3	2.07E-01	1.32E+01	1.15E+01	9.79E+00	4.06E+00
4	3.60E-01	6.50E-01	4.67E-01	4.75E-01	7.77E-02
5	8.13E-03	4.63E+06	2.74E+04	8.94E+05	1.48E+06
6	8.14E-02	1.25E+01	1.21E+00	1.66E+00	2.27E+00
7	8.83E-02	3.55E+06	9.17E+03	3.33E+05	7.38E+05
8	2.02E-02	2.79E+02	5.02E+00	1.60E+01	5.04E+01
9	6.57E-02	3.89E-01	1.57E-01	1.64E-01	5.94E-02
10	4.81E+01	5.00E+01	4.84E+01	4.84E+01	3.61E-01

Table 35: Results of SOMA-ATO for 10D (Shift Operator)

Func.	Best	Worst	Median	Mean	Std
1	4.00E+08	6.18E+09	2.27E+09	2.54E+09	1.43E+09
2	2.20E-01	1.05E+01	3.66E+00	4.12E+00	2.75E+00
3	2.07E-01	1.32E+01	1.15E+01	9.79E+00	4.06E+00
4	3.60E-01	6.50E-01	4.67E-01	4.75E-01	7.77E-02
5	8.13E-03	4.63E+06	2.74E+04	8.94E+05	1.48E+06
6	8.14E-02	1.25E+01	1.21E+00	1.66E+00	2.27E+00
7	8.83E-02	3.55E+06	9.17E+03	3.33E+05	7.38E+05
8	2.02E-02	2.79E+02	5.02E+00	1.60E+01	5.04E+01
9	6.57E-02	3.89E-01	1.57E-01	1.64E-01	5.94E-02
10	4.81E+01	5.00E+01	4.84E+01	4.84E+01	3.61E-01

Table 36: Results of SOMA-ATO for 10D (Rotation)

Func.	Best	Worst	Median	Mean	Std
1	1.90E+08	1.52E+10	2.57E+09	3.83E+09	3.60E+09
2	3.08E-01	1.34E+02	1.38E+01	3.10E+01	4.52E+01
3	1.11E+01	1.44E+01	1.15E+01	1.18E+01	6.92E-01
4	3.14E-01	6.72E-01	4.36E-01	4.63E-01	9.56E-02
5	4.86E-02	4.69E+06	2.44E+05	7.27E+05	1.03E+06
6	1.49E-01	1.26E+01	1.39E+00	2.32E+00	3.40E+00
7	1.62E-01	1.22E+08	5.18E+04	5.67E+06	2.25E+07
8	1.02E-01	1.01E+02	1.00E+02	8.80E+01	3.27E+01
9	1.00E+02	3.40E+02	3.31E+02	3.16E+02	5.88E+01
10	4.00E+02	4.66E+02	4.00E+02	4.16E+02	2.80E+01

ACKNOWLEDGMENTS

This work was supported by the Internal Grant Agency of Tomas Bata University under the Projects no. IGA/CebiaTech/2021/001, and further by the resources of A.I.Lab at the Faculty of Applied Informatics, Tomas Bata University in Zlin (ailab.fai.utb.cz).

REFERENCES

- [1] C. T. Yue, K. V. Price, P. N. Suganthan, J. J. Liang, M. Z. Ali, B. Y. Qu, N. H. Awad, and Partha P Biswas. 2020. Problem Definitions and Evaluation Criteria for the CEC 2021 Special Session and Competition on Single Objective Bound Constrained Numerical Optimization. *Technical Report* (2020).